Practical

MutationTaster & RegulationSpotter


Daniela Hombach & Jana Marie Schwarz

Exzellenzcluster NeuroCure Charité Universitätsmedizin Berlin

AG Translational Genomics

08.11.2017

Rare diseases



7000 – 8000 rare diseases are known.


>> World-wide more than **300 Millions** patients

Rare diseases


	Mendelian	Complex				
# loci	one	multiple (polygenic)				
effect of environment	small	high				
frequency in population	rare	common				
effect	strong	weak				
example	cystic fibrosis, hemophilia, PKU	allergy, cancer, diabetes				

MutationTaster

Single variant query



VCF query



highly-parallel fashion (500,000 variants / hour)

InDels, SNVs, introns, exons, coding and noncoding variants

Go to: www.mutationtaster.org



Position / snippet refers to





NEWS

single query

QueryEngine

documentation | FAQs

other applications | team

query chromosomal positions







Gene

Transcript

Alteration

mutation t@sting

and the inserted bases

SOD1 ALS

SOD1 HGNC gene symbol, N CBI Gene ID, Ensembl gene ID show available transcripts clear input ENST00000270142 Ensembl transcript ID SOD1 Choose the transcript: ENST00000470944 (processed_transcript, 1746 base ENST00000270142 (protein_coding, 966 bases) ENST00000389995 (protein coding, 865 bases) ENST00000476106 (processed transcript, 586 bases). coding sequence (ORF) transcript (cDNA sequence) gene (genomic sequence) all types by sequence C[A/G]TGTTCATGAGTTTGGAGATAATACAGCAGGCTGT options show nucleotide alignment enter a few bases around your alteration Format: ACTGTC[A/T] GTGTF A substituted by 7 ACTGTC[AG/7] GTGTF AG substituted by T ACTGTC[ACGT/-] GTGTF ACGT deleted ACTGTC[-/AA] GTGTF AA inserted single base exchange by position enter position and new base insertion or deletion by position enter positions of ...last wild type base before alteration ...first wild type base after alteration

continue

Name of alteration

if you would like to have a name for this alteration in the output later on, please type in here

(if applicable)













mutation t@sting

- NEWS
- documentation | FAQs
- single query
- query chromosomal positions
- QueryEngine
- other applications | team

Sene	SOD1 HGNC gene symbol, NCBI Gene ID, Ensembl gene ID show available transcripts clear input
ranscript	ENST00000270142
	O <u>ENST00000476106</u> (processed transcript, 586 bases)
osition / snippet refers to	coding sequence (ORF)
literation	all types by sequence
	C[A/G]TGTTCATGAGTTTGGAGATAATACAGCAGGCTGT options enter a few bases around your alteration □ show nucleotide alignment
	Format: ACTGTC[A/T] GTGTF ACTGTC[AG/T] GTGTF ACTGTC[ACGT/-] GTGTF ACTGTC[ACGT/-] GTGTF ACTGTC[-/AA] GTGTF AAA inserted ACTGTC[-/AA] GTGTF AAA inserted
	single base exchange by position
	enter position and new base Causes ALS
	insertion or deletion by position
	enter positions oflast wild type base before alteration
	first wild type base after alteration and the inserted bases (if applicable)
lame of alteration	SOD1_ALS if you would like to have a name for this alteration in the output later on, please type in here

continue

4.283, 0.996

O DOO D DED /floolsing)







documentation





mutation t@sting

Alteration SOD1_ALS

Prediction	disease causing Model: simple_aae, prob: 0.999999999998447 (classification due to ClinVar, rea probability is shown anyway)
Summary	 amino acid sequence changed known disease mutation at this position (HGMD CM930680) known disease mutation: rs121912443 (pathogenic) protein features (might be) affected splice site changes
analysed issue	<u>analysis result</u>
name of alteration	SOD1_ALS
alteration (phys. location)	chr21:33036170A>G
HGNC symbol	SOD1
Ensembl transcript ID	ENST00000270142
UniProt peptide	<u>P00441</u>
alteration type	single base exchange
alteration region	CDS
DNA changes	c.140A>G cDNA.288A>G g.4236A>G
AA changes	H47R Score: 0.79 explain score(s)
position(s) of altered AA if AA alteration in CDS	47
framachift	no en la companya de
dbSNP / TGP / HGMD(public) / ClinVar	known disease mutation: rs121912443 (pathogenic for <i>Amyotrophic lateral sclerosis type 1</i>) bSNP NCBI variation viewer known disease mutation at this position, <u>please check HGMD for details</u> (HGMD ID CM930680)
regulatory features	H3K9me1, Histone, Histone 3 Lysine 9 mono-methylation H3K36me3, Histone, Histone 3 Lysine 36 Tri-Methylation H3K79me2, Histone, Histone 3 Lysine 79 di-methylation H4K20me1, Histone, Histone 4 Lysine 20 mono-methylation
phyloP / phastCons	5.162, 1 (flanking)

Computer based classification

- "either-or" decision
- automated classification by Bayes classifier
- simple handling
- CPU/RAM friendly
- Fast & robust results

Bayes classifier: Spam E-Mails

```
Subject: new message | important
sign up and win! Every click wins!
The best exclusive exciting HD videos online.
Shop now - cheap and easy.
Payments...
Our "Low Price Pharmacy Store" design sports a professional
array of pharmaceuticals.
msq me with a valid email for an account
```

Bayes classifier: Spam E-Mails

<u>Subject:</u> new message | important

sign up and win! Every click wins!

The best exclusive exciting HD videos online.

Shop now - cheap and easy.

Payments...

Our "Low Price **Pharmacy** Store" design sports a professional array of pharmaceuticals.

msg me with a valid email for an account

Recognition by Bayes classifier

term / phrase	spam	ham
shop now	++	-
pharmacy	++	0
win	++	+
account	0	+
MutationTaster	-	++
abstract	-	++

Bayes classifier in MutationTaster

attribute	disease mutation	polymorphism
loss of splice site	49.5 %	0.06 %
amino acid exchange transmembrane domain	7.3 %	4.5 %
loss of disulfide bridge	2.9 %	0.1 %
amino acid exchange Arg>His	2.3 %	2.4 %

Bayes classifier in MutationTaster

- training with
 - a) > 100,000 known disease mutations

 Human Gene Mutation Database (HGMD)
 - b) > 6,000,000 harmless polymorphisms 1000 Genomes Project (1000G)

 classification model: stores frequencies of of different values / test results

VCF upload




mutation t@sting

QueryEngine

- single query
- · query chromosomal positions
- QueryEngine
 MutationDistiller (public beta)
- Regulation Spotter (public beta)
- slides ESHG2017 Copenhagen
- We offer automated MutationTaster analysis of variants from Next Generation Sequencing projects. Variants must be in VCF format and refer to GRCh37 / hg19. After your VCF file has been analysed, the link to download the results (archived as zip) will be send via E-mail to you. For this reason, you have to provide a valid E-mail address. Look up more details in the documentation.

/CF file	Durchsuchen Keine Datei ausgewählt. sample file Please zip or gzip large files!	clear input
Format:		
SCHROM FOS ID REF ALT QUAL FILTER INFO shel 10199 . A C 4.77 . DF=2;AF1=0.5003;CI9S=0.25,0.75;DF4=	FORMAT SAMPLE 1,0,0,1;MD=60;FQ=3.1;FV4=1,1,1,1 GT:FL:DF:GQ 0/1:33,0,28:2:30	
(tab delimited) The coordinates must refer to GRCh37 (also called hg19).		
Project name	Practical_Prague	queue status 2017-11-01 17:57 CEST (refresh) low load - our bored server is looking forward to analysing your data
Infortunately, E-Mail notification does currently not work. We are sorry for t	the inconvenience and try to solve the problem as soon as possible	0 jobs running, 0 queued, 1515.6 millions alterations analysed. DB queries free slots (0 running, 16 of 16 available - at 0% capacity) large jobs free slots (0 running, 20 of 20 available - at 0% capacity)
E-mail address		small jobs in free slots (0 running, 30 of 30 available - at 0% capacity) medium jobs free slots (0 running, 35 of 25 available - at 0% capacity)
enerate HTML files (slower)		
Analysis settings		
earch for homozygous variants	yes yes	analyse complete VCF but only exons with 10 bases intron flanking
combine neighbouring variants	ges yes	analyse variants on chrbut only exons with 10 bases intron flanking
lter against TGP	homozygous in 4 or more TGP samples 🖤	analyse custom regions (select to enter) exclude custom regions (select to enter)
	heterozygous in 20 or more TGP samples	
ninimum coverage	4	
Cultmit		


Example case: Whole Exome Sequencing



http://bit.ly/mt_exome




Example case: Phenotype




http://bit.ly/mt_exome

Example case: Phenotype



Example case: WholeExome Sequencing



Exome from 1000G (HG00377)

with known disease mutation from ClinVar

Amyotrophic lateral sclerosis (ALS)

OMIM #105400

http://bit.ly/mt_exome

VCF upload



mutation t@sting

QueryEngine

- single query
- · query chromosomal positions
- QueryEngine
 MutationDistiller (public beta)
- Regulation Spotter (public beta)
- slides ESHG2017 Copenhagen
- We offer automated MutationTaster analysis of variants from Next Generation Sequencing projects. Variants must be in VCF format and refer to GRCh37 / hg19. After your VCF file has been analysed, the link to download the results (archived as zip) will be send via E-mail to you. For this reason, you have to provide a valid E-mail address. Look up more details in the documentation.

/CF file	Durchsuchen Keine Datei ausgewählt. sample file Please zip or gzip large files!	clear input
Format:		
SCHROM FOS ID REF ALT QUAL FILTER INFO shel 10199 . A C 4.77 . DF=2;AF1=0.5003;CI9S=0.25,0.75;DF4=	FORMAT SAMPLE 1,0,0,1;MD=60;FQ=3.1;FV4=1,1,1,1 GT:FL:DF:GQ 0/1:33,0,28:2:30	
(tab delimited) The coordinates must refer to GRCh37 (also called hg19).		
Project name	Practical_Prague	queue status 2017-11-01 17:57 CEST (refresh) low load - our bored server is looking forward to analysing your data
Infortunately, E-Mail notification does currently not work. We are sorry for t	the inconvenience and try to solve the problem as soon as possible	0 jobs running, 0 queued, 1515.6 millions alterations analysed. DB queries free slots (0 running, 16 of 16 available - at 0% capacity) large jobs free slots (0 running, 20 of 20 available - at 0% capacity)
E-mail address		small jobs in free slots (0 running, 30 of 30 available - at 0% capacity) medium jobs free slots (0 running, 35 of 25 available - at 0% capacity)
enerate HTML files (slower)		
Analysis settings		
earch for homozygous variants	yes yes	analyse complete VCF but only exons with 10 bases intron flanking
combine neighbouring variants	ges yes	analyse variants on chrbut only exons with 10 bases intron flanking
lter against TGP	homozygous in 4 or more TGP samples 🖤	analyse custom regions (select to enter) exclude custom regions (select to enter)
	heterozygous in 20 or more TGP samples	
ninimum coverage	4	
Cultmit		

Analysis Settings



[MutationTaster] for Practical_Prague - explore your results

MTQE documentation

project ID 52941_9290704560

Statistics submitted variants 19043 12044 pre-discarded variants analysable alterations 6999 discarded (TGP) 6639 discarded (out of gene/exon/region) 45 alterations analysed 315 MT cases 947 without_aae 762 simple_aae 102 type complex_aae 25 prediction disease_causing_automatic prediction disease_causing prediction n/a 15 prediction polymorphism prediction polymorphism_automatic 113 58 prediction n/a genes hit (except HapMap/TGP) ...non-synonymous 37 ...disease causing 76 ..disease causing, non-synonymous **Analysis options** coverage threshold homozygous only filter out variants homozygous in TGP >

	hide
sort & group by prediction model gene symbol sort & group by prediction model gene symbol variation sort by these attributes sort by these attributes descending descending descending descending	silent alterations all predicted polymorphisms known polymorphisms prediction problems show only homozygous alterations all recessive (homozygous, comp-het, genes with >1 disease-causing variant) only genes relevant for mitochondria
	get the data

Query GeneDistiller call GeneDistiller for all disease-causing mutations non-synonymous disease-causing mutations										
call GeneDistiller for all										
disease-causing mutations										
non-synonymous disease-causing mutations										
non-synonymous alterations (excl. known polymorphisms)										

Results



MT results Practical_Prague

MTQE documentation

ue to the recursion, limit/offset do not have any effect

04 subgroup

MutationTaster predictions were generated using data from Ensembl69

back to overview

Widtation raster	predictions	were generated	d dailig data ironi Ensemblo												
chromosome	position	genesymbol	prediction	model	probability	type	AAE	dbSNP	ref	alt	ClinVar	features	coverage	gt/freq(var)	filename
21	33036170	SOD1	disease_causing_automatic	simple_aae	1	single base exchange	H47R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	<u>914</u>
21	33036170	SOD1	disease_causing_automatic	simple_aae	1	single base exchange	H28R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	<u>915</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	1	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	489
10	21435341	C10orf113	disease_causing_automatic	complex_aae	0.999985	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	490
10	21435341	C10orf113	disease_causing_automatic	complex_aae	1	deletion and insertion	S22Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>491</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>580</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>581</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>582</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>583</u>
19	52004792	SIGLEC12	disease_causing_automatic	complex_aae	1	deletion and insertion	A66Gfs*50		CCC	CCCC		frameshift; splicing affected; protein features affected; NMD	44	hom	<u>885</u>
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	208
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	<u>209</u>
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	210
3	64527465	ADAMTS9	polymorphism_automatic	without_aae	1	single base exchange		1036917	С	Т		splicing affected; protein features affected	59	hom	206



MT results Practical_Prague

MTQE documentation

due to the rec	ursion, iii	illioniset do ni	of have any effect:												
				••					back to overview						
	•	-	d using data from Ensembl6					II CHD			OII 14	•			
chromosome	•	• ,	prediction		probability	"	AAE		ref	alt	ClinVar	features		gt/freq(var)	
21	33036170	SOD1	disease_causing_automatic	simple_aae	1	single base exchange	H47R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	914
21	33036170	SOD1	disease_causing_automatic	simple_aae	1	single base	H28R	121912443	Α	G	known	splicing affected; protein features affected	170	hom	<u>915</u>
											mutation				
10	21435341	C10orf113	disease_causing_automatic	complex_aae	1	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>489</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	0.999985	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>490</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	1	deletion and insertion	S22Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>491</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>580</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>581</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>582</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>583</u>
19	52004792	SIGLEC12	disease_causing_automatic	complex_aae	1	deletion and insertion	A66Gfs*50		ccc	CCCC		frameshift; splicing affected; protein features affected; NMD	44	hom	<u>885</u>
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	208
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	<u>209</u>
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	210
3	64527465	ADAMTS9	polymorphism_automatic	without_aae	1	single base exchange		1036917	С	Т		splicing affected; protein features affected	59	hom	<u>206</u>



MT results Practical_Prague

MTQE documentation

ue to the recursion, limit/offset do not have any effec

04 subgroup

back to overview

MutationTaster	predicti	were general	using data from Ensemble	39											
chromosome	positior	genesymbol	prediction	model	probability	type	AAE	dbSNP	ref	alt	ClinVar	features	coverage	gt/freq(var)	filename
21	330361 0	SOD1	disease_causing_automatic	simple_aae	1	single base exchange	H47R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	914
21	33036170	SOD1	disease_causing_automatic	simple_aae	1	single base exchange	H28R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	<u>915</u>
10	21435341	<u>C10orf113</u>	disease_causing_automatic	complex_aae	1	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>489</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	0.999985	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>490</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	1	deletion and insertion	S22Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>491</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>580</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>581</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>582</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>583</u>
19	52004792	SIGLEC12	disease_causing_automatic	complex_aae	1	deletion and insertion	A66Gfs*50		ccc	CCCC		frameshift; splicing affected; protein features affected; NMD	44	hom	<u>885</u>
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	208
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	209
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	<u>210</u>
3	64527465	ADAMTS9	polymorphism_automatic	without_aae	1	single base exchange		1036917	С	Т		splicing affected; protein features affected	59	hom	<u>206</u>

Results: GeneDistiller

Candidate genes. 1 gene(s)

genesymbol	type	description	chr.	startpos	endpos	synonyms							
SOD1	protein-coding	superoxide dismutase 1, soluble	21	33031935	33041244	ALS1, IPOA, SOD, homodimer, ALS, hSod1, HEL-S-44							
	links	NCBI ENSEMBI, SwissProt GeneCards STRING Unit-I PubMed create primers for all transcripts											
	KEGG pathways	Peroxisome, Amyotrophic lateral sclerosis (ALS), Huntington's disease, Prion diseases											
	Reactome pathways	Platelet activation, signaling and aggregation, Response to elevated platelet cytosolic Ca2+, Hemostasis, Platelet degranulation											
	PFAM	sodcu;											
	InterPro domains	Superoxide dismutase, copper/zinc binding domain											
	paralogs	SOD3 (24%), CCS (26%)											
		Muscle cramps Pseudobulbar paralysis Degeneration of anterior horn cells Amyotrophic lateral sclerosis Sleep apnea Fasciculations Autosomal dominant inheritance Autosomal recessive inheritance Spasticity Degeneration of the lateral corticospinal tracts Hyperreflexia Skeletal muscle atrophy Muscle weakness Heterogeneous											
	OMIM					dicals to molecular oxygen and hydrogen peroxide, thus providing a defense against oxygen toxicity (Niwa et al., 2007). Soluble tinct mitochondrial enzyme that contains manganese; the SOD2 gene maps to 6q25. SOD1 is a homodimer and SOD2 a tetramer							
	OrphaNet	Amyotrophic lateral sclerosis germline (assessed)											
		That hSOD1 overexpression improves sensorimotor coordination in young organisms may suggest possible therapeutic strategies for early-onset ALS in humans. astrocyte-derived exosomes efficiently transfer mutant SOD1 to spinal neurons and induce selective motor neuron death ATPase-deficient Hsp104 mutants did not restore mobility, suggesting that, rather than preventing aggregation, Hsp104 disaggregates mutant SOD1 after it has aggregated The results of this study shows for the first time that the functional consequence of G93A hSOD1 overexpression in intact motor neurons is indeed a disturbance of the ER mitochondria calcium cycle The A4V mutation as well as the absence of GSH, reduced hSod1 activity. In conclusion, increased catecholamine production in PHEO is accompanied by decreased levels of vitamin C and increased levels of MDA which may indicate the activation of oxidative stress in PHEO. This study demonistrated that in mouse in mouse models of sod1 mutation amyotrophic lateral sclerosis Enhancing mitochondrial calcium buffering capacity reduces aggregation of misfolded SOD1 and motor neuron cell death without extending survival and the produced of the produced produced and account of the produced and account dependent and account and accoun											

Mutation

MT results Practical_Prague

MTQE documentation

ue to the recursion, limit/offset do not have any effect

04 Subgroups

back to overview

MutationTaster predictions were generated using data from Ensembl69															
chromosome	position	genesymbol	prediction	model	probability	type	AAE	dbSNP	ref	alt	ClinVar	features	coverage	gt/fre ,	ur, monumo
21	33036170	SOD1	disease_causing_automatic	simple_aae		single base exchange	H47R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	914
21	33036170	SOD1	disease_causing_automatic	simple_aae		single base exchange	H28R	121912443	A	G	known disease mutation	splicing affected; protein features affected	170	hom	<u>915</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae		deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>489</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	0.999985	deletion and insertion	S32Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>490</u>
10	21435341	C10orf113	disease_causing_automatic	complex_aae	1	deletion and insertion	S22Ffs*5		CACTC	С		frameshift; splicing affected; NMD	92	hom	<u>491</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae	1	deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>580</u>
12	11420334	PRB3	disease_causing_automatic	complex_aae		deletion and insertion	P241Sfs*14		GGG	GG		frameshift; splicing affected; protein features affected; NMD	196	hom	<u>581</u>
12	11421094	PRB3	polymorphism	without_aae	1	deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>582</u>
12	11421094	PRB3	polymorphism	without_aae		deletion and insertion			GG	GGGGG		splicing affected; protein features affected	43	hom	<u>583</u>
19	52004792	SIGLEC12	disease_causing_automatic	complex_aae	1	deletion and insertion	A66Gfs*50		ccc	cccc		frameshift; splicing affected; protein features affected; NMD	44	hom	<u>885</u>
3	64640207	ADAMTS9	disease_causing	without_aae		deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	208
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	209
3	64640207	ADAMTS9	disease_causing	without_aae	0.999883	deletion and insertion			AAAA	AAA		splicing affected; protein features affected	55	hom	210
3	64527465	ADAMTS9	polymorphism_automatic	without_aae	1	single base exchange		1036917	С	Т		splicing affected; protein features affected	59	hom	206

Results: Details

disease causing

4.283 0.996 (flanking) -2.023 0.059

explain score(s) and/or inspect your position(s) in in UCSC Genome Browser



Prediction

mutation t@sting

Summary	hyperlink • amino acid sequence changed • known disease mutation at this position (HGMD CM930680) • known disease mutation: rs121912443 (pathogenic) • protein features (might be) affected • splice site changes
analysed issue	analysis result
name of alteration	no title
alteration (phys. location)	chr21:33036170A>G show variant in all transcripts IGV
HGNC symbol	<u>S0D1</u>
Ensembl transcript ID	ENST00000270142
Genbank transcript ID	<u>NM_000454</u>
UniProt peptide	<u>P00441</u>
alteration type	single base exchange
alteration region	CDS
DNA changes	c.140A>G cDNA.288A>G g.4236A>G
AA changes	H47R Score: 29 explain score(s)
position(s) of altered AA if AA alteration in CDS	47
frameshift	no
known variant	Reference ID: rs121912443 Allele 'G' was neither found in EXAC nor 1000G. known disease mutation: rs121912443 (pathogenic for Amyotrophic_lateral_sclerosis_type_1) dbSNP NCBI variation viewer known disease mutation at this position, please check HGMD for details (HGMD ID CM930680)
regulatory features	H3K9me1, Histone, Histone 3 Lysine 9 mono-methylation H3K36me3, Histone, Histone 3 Lysine 36 Tri-Methylation H3K79me2, Histone, Histone 3 Lysine 79 di-methylation H4K20me1, Histone, Histone 4 Lysine 20 mono-methylation
phyloP / phastCons	PhyloP PhastCons (flanking) 5.162 1

Model: simple_aae, prob: 0.99999999998447 (classification due to ClinVar, real probability is shown anyway)


Results: Details

Kozak consensus sequence altered?	N/A				
conservation protein level for non-synonymous changes	species	match	gene	aa alignment	
protest to the non-symonymous changes	Human			47 I K G L T E G L H G F H V H E F G D N T A G C T	
	mutated	not conserved		47 I K G L T E G L H G F R V H E F G D N T A G C	
	Ptroglodytes	all identical	ENSPTRG00000013847	47 I K G L T E G L H G F T V H E F G D N T A G C	
	Mmulatta	all identical	ENSMMUG00000001711	47 I T G L T E G L H G F T V H Q F G D N T Q G C	
	Fcatus	no homologue			
	Mmusculus	all identical	ENSMUSG00000022982	47 I T G L T E G Q H G F V H Q Y G D N T Q G C	
	Ggallus	all identical	ENSGALG00000015844	48ITGLSDGDHGF TVHEFGDNTNGC 69IKGLTPGEHGF TVHAFGDNTNGC	
	Trubripes	all identical	ENSTRUG00000008179 ENSDARG00000043848	47 I T G L T P G K H G F H V H A F G D N T N G C	
	Drerio	all identical all identical		47 V C G L A K G L H G F T V H E F G D N T N G C	
	Dmelanogaster Celegans	no homologue	FBgn0003462	4/VCGLAKGLEGE TAUFE GDNINGC	
	Xtropicalis	all identical	FNSVFTG00000007350	48 I Y GL T D G K H G F H I H E F G D N T N G C	
anticia factura			ENSKEIGOOOOOO7550	4011GEIDGKNGF HINEFGDNINGC	
protein features	start (aa) end (aa)				
	41 50	STRAND			lost
	47 47	METAL Copper; ca	•		lost
	49 49	METAL Copper; ca	•		might get lost (downstream of altered splice site)
	51 52		Abolishes dimerization; when	associated with Q-134.	might get lost (downstream of altered splice site)
	54 56	HELIX			might get lost (downstream of altered splice site)
	57 61	HELIX			might get lost (downstream of altered splice site)
	58 58		ances formation of fibrillar ag	gregates in the absence of bound zinc; when associated with S-7; S-112 and S- 147	'. might get lost (downstream of altered splice site)
	58 58	DISULFID			might get lost (downstream of altered splice site)
	63 65	STRAND			might get lost (downstream of altered splice site)
	64 64	METAL Copper; ca	atalytic.		might get lost (downstream of altered splice site)
	64 64	METAL Zinc; via p	ros nitrogen.		might get lost (downstream of altered splice site)
	67 69	STRAND			might get lost (downstream of altered splice site)
	71 71	MOD_RES N6-acetyll	ysine (By similarity).		might get lost (downstream of altered splice site)
	72 72	METAL Zinc; via p	ros nitrogen.		might get lost (downstream of altered splice site)
	74 76	STRAND			might get lost (downstream of altered splice site)
	77 79	STRAND			might get lost (downstream of altered splice site)
	81 81	METAL Zinc; via p	ros nitrogen.		might get lost (downstream of altered splice site)
	81 81	MUTAGEN H->A: Los	s of zinc binding and enhanc	ed tendency to form aggregates; when associated with A-84.	might get lost (downstream of altered splice site)
	81 81	MUTAGEN H->S: Des	tabilization of dimer and loss	of zinc binding; when associated with S- 84.	might get lost (downstream of altered splice site)
	84 84	METAL Zinc; struc	tural.	-	might get lost (downstream of altered splice site)
	84 84	MUTAGEN D->S: Des	tabilization of dimer and loss	of zinc binding; when associated with S- 81.	might get lost (downstream of altered splice site)
	84 84	MUTAGEN D->A: Los	s of zinc binding and enhanc	ed tendency to form aggregates; when associated with A-81.	might get lost (downstream of altered splice site)
	84 90	STRAND		, -00-0,	might get lost (downstream of altered splice site)
	92 94	HELIX			might get lost (downstream of altered splice site)
		STRAND			might get lost (downstream of altered splice site)
	99 99		Ref. 3; no nucleotide entry).		might get lost (downstream of altered splice site)
	99 99	MOD RES Phosphos			might get lost (downstream of altered splice site)
	109 111	HELIX			might get lost (downstream of altered splice site)
	112 112		ances formation of fibrillar ac	gregates in the absence of bound zinc; when associated with S-7; S-58 and S-147.	might get lost (downstream of altered splice site)
	112 112	STRAND	ianosa iormation oi nomidi dy	grogates in the absence of bound zine, when associated with 5-1, 5-30 dild 3-147.	might get lost (downstream of altered splice site)
	116 123	STRAND			might get lost (downstream of altered splice site)
	121 121	METAL Copper; ca	atalutic		might get lost (downstream of altered splice site)
	121 121	MOD RES N6-acetyll	•		might get lost (downstream of altered splice site)
	124 124	MILLIAM STATES INPOSCOTATION	veine		minnt her thet innwhetream of altered enline eite)

Results: Details

				g g (
	121	121	METAL Copper; catalytic.	might get lost (downstream of altered splice si
	123	123	MOD_RES N6-acetyllysine.	might get lost (downstream of altered splice s
	127	129	STRAND	might get lost (downstream of altered splice s
	130	132	STRAND	might get lost (downstream of altered splice s
	133	136	HELIX	might get lost (downstream of altered splice s
	134	134	MUTAGEN E->Q: Abolishes dimerization; when associated with E-50 and E-51.	might get lost (downstream of altered splice s
	138	140	TURN	might get lost (downstream of altered splice si
	143	149	STRAND	might get lost (downstream of altered splice si
	147	147	MUTAGEN C->S: Enhances formation of fibrillar aggregates in the absence of bound zinc; when associated with S-7; S-58 and S-112.	might get lost (downstream of altered splice si
	147	147	DISULFID	might get lost (downstream of altered splice sit
	151	153	STRAND	might get lost (downstream of altered splice sit
ength of protein	normal			
A sequence altered	yes			
osition of stopcodon in wt / mu CDS	465 / 465			
osition (AA) of stopcodon in wt / mu AA sequence				
osition of stopcodon in wt / mu cDNA	613 / 613	3		
-9000-1300-1	N/A			
	N/A			
osition of start ATG in wt / mu cDNA	149 / 149	9		
hromosome	21			
trand	1			
ast intron/exon boundary	506			
neoretical NMD boundary in CDS	307			
ength of CDS	465			
oding sequence (CDS) position	140			
DNA position for ins/del: last normal base / first normal base)	288			
DNA position for ins/del: last normal base / first normal base)	4236			
hromosomal position for ins/del: last normal base / first normal base)	33036170	0		
riginal gDNA sequence snippet	TGAAGG	CCTGCA	ITGGATTCCATGTTCATGAGTTTGGAGATA	
Itered gDNA sequence snippet	TGAAGG	CCTGCA	NTGGATTCCGTGTTCATGAGTTTGGAGATA	
riginal cDNA sequence snippet	TGAAGG	CCTGCA	NTGGATTCCATGTTCATGAGTTTGGAGATA	
Itered cDNA sequence snippet	TGAAGG	CCTGCA	NTGGATTCCGTGTTCATGAGTTTGGAGATA	
	AGPHFNI	PLSR K	EDGPVQGIIN FEQKESNGPV KVWGSIKGLT EGLHGFHVHE FGDNTAGCTS KHGGPKDEER HVGDLGNVTA DKDGVADVSI EDSVISLSGD HCIIGRTLVV KNEESTKTGN AGSRLACGVI GIAQ*	
nutated AA sequence	AGPHFNI	PLSR K	DGPVQGIIN FEQKESNGPV KVWGSIKGLT EGLHGFRVHE FGDNTAGCTS KHGGPKDEER HVGDLGNVTA DKDGVADVSI EDSVISLSGD HCIIGRTLVV KNEESTKTGN AGSRLACGVI GIAQ*	
peed	0.08 s			
	Report	huas / h	ielp us to improve MutationTaster!	

Regulation Spotter



RegulationSpotter

- Extratranscriptic variants: located outside of known transcripts
- free, web-based tool
- InDels, SNVs
- hyperlinks to MutationTaster for intragenic variants



RegulationSpotter



Welcome to Regul@tionSpotter

Annotation of extranscriptic variants

QUERY SINGLE VARIANT

Only want to query a single variant? Click here to have RegulationSpotter examine it!

single query documentation

single query tutorial

UPLOAD VCF FILE

Click here to analyse an entire vcf file

vcf query documentation

vcf query tutorial

Find out who is working on RegulationSpotter

ABOUT

Learn more about the idea behind RegulationSpotter

STATISTICS

Our Benchmarking results

IMPRESSUM

Legal Disclosure

RegulationSpotter – submit VCF file

analyse custom regions (select to enter)
 analyse custom genes (select to enter)



Regul@tionSpotter - annotation of extratranscriptic variants


We offer automated analysis of variants from Whole Genome Sequencing projects in either user-defined genomic regions or in candidate genes and the genomic elements interacting with these. Variants must be in VCF format and refer to GRCh37. Look up more details in the documentation.
You can also follow the provided <a href="totage: understanding to become familiar with the software and the results."

roject name Gen	nomTutorialEDER	VCF file Durchsuchen Keine Datei ausgewählt.	Please zip or gzip large files!	sample file
chr1 10199	ID REF ALT QUAL FILTER INFC A C 4.77 DP=2 ordinates must refer to GRCh37.	O 2;AF1=0.5003;CI95=0.25,0.75;DP4=1,0,0,1;MQ=60;FQ=-3.1;PV4=1,1,1,;	FORMAT SAMPLE 1 GT:PL:DP:GQ 0/1:33,0,28:2:30	
nalysis settings				
ecessive trait		homozygous variants only		
ter polymorphisms		1000GExAC homozygous in >= 4 10 present (het or hom) in >= number of Individuals in 1000G or ExAC, set values to 0 to stop filter	ing	
ninimum coverage		4		
		analyse complete VCF file		


Submit

analyse the following regions or genes...


Example case: Phenotype




Example case: Phenotype



Example case: Previous examinations



Example case: Whole Genome Sequencing



1000G Genome (HG00101)


with known disease mutation from ClinVar

RegulationSpotter – submit VCF file



Regul@tionSpotter - annotation of extratranscriptic variants

We offer automated analysis of variants from Whole Genome Sequencing projects in either user-defined genomic regions or in candidate genes and the genomic elements interacting with these. Variants must be in VCF format and refer to GRCh37. Look up more details in the documentation.
You can also follow the provided <a href="totage: understanding to become familiar with the software and the results."




Submit

Analysis settings:

Discard variants which appear more than 4 times in 1000G or 10 times in ExAC

Example case: Whole Genome Sequencing




Filter: none



[RegulationSpotter] GenomTutorialLDLR - synopsis & display settings

RegulationSpotter documentation

project ID 738_807596



disp	olay / filter options	
0	show all variants	hide known polymorphisms
0	show only intragenic vars	hide predicted polymorphisms
0	show only extratranscriptic vars	hide silent alterations (intragenic variants)
V	hide extratranscriptic variants without annotation	hide prediction problems
	restrict to these genes TP53, LBR, DMD	restrict to these regions 1:0-1000000
	sort & group results	get the data
0	sort by chromosome, position, effect	display
0	sort by effect, chromosome, position	
0	sort by gene, effect, position	
0	sort by effect, gene, position	
0	sort by gene, position	

Filter: needed for Genome

Regulation Spotter

[RegulationSpottel


project ID 738_807596

Synopsis

submitted variants 3658107 discarded before analysis 3031196 all analysed variants 630713 variants mapped to a gene and analysed w/ MT 250031 without_aae 743386 type simple_aae 778 type complex_aae 472 8678 disease causing (ClinVar) 7 prediction 24 prediction disease causing (automatic) 6296 disease causing prediction disease causing - long InDel 55 prediction polymorphism 151050 polymorphism (automatic) 587204 prediction prediction n/a 8678

Analysis options

coverage threshold



is & display settings

display

hide known polymorphisms
hide predicted polymorphisms
hide silent alterations (intragenic variants)
hide prediction problems
restrict to these regions

1:0-1000000

RegulationSpotter documentation

Filter: needed for Genome



RegulationSpotter results GenomTutorialLDLR


RegulationSpotter documentation

Too many variants

Please restict your search to fewer candidate genes or less / smaller regions.


Filter: regions

Display settings




Filter: candidate genes

Display settings




Example case: Whole Genome Sequencing




http://bit.ly/rs_genome

Results


Results - Filter: regions



Results - Filter: regions



Results - Details 19:11200032_112000034delCTC



NHEK, DND-41, H1ESC, Osteobl, IMR90, NHLF, HUVEC, GM12878, K562, NH-A, HSMM, HSMMtube, HepG2, NHDF-AD, A549, HMEC, HeLa-S3, Monocytes-CD14+

show features in Ensembl explain

histone modifications

H2AZ

H3K27ac

H3K4me1

DND-41, HUVEC

Results - Details 19:11200032 112000034delCTC



Summary

regul@tion spotting

documentation

hyperlink

Likely effect	functional (high	confidence)

within TFBS

within active promoter

analysed issue	analysis result
name of alteration	no title
alteration (phys. location)	chr19:11200032_11200034delCTC
alteration type	insertion / deletion
alteration region	extratranscriptic
known variant	Variant was neither found in ExAC nor 1000G.
promoters	Ensembl Promoter ENSR00000143671
	A549, Aorta, CD14+CD16- monocyte (CB), CD14+CD16- monocyte (VB), CD4+ ab T cell (VB), CM CD4+ ab T cell (VB), DND-41, EPC (VB), erythroblast (CB), Fetal Adrenal Gland, Fetal Intestine Large, Fetal Intestine Small, CM CD4+ ab T cell (VB), CM CD4+

Fetal Muscle Leg, Fetal Muscle Trunk, Fetal Stomach, Gastric, GM12878, H1-mesenchymal, H1-trophoblast, H9, HeLa-S3, HepG2, HMEC, HSMM, HSMMtube, HUVEC, HUVEC prol (CB), IMR90, iPS-20b, iPS DF 19.11, iPS DF 6.9, K562, Left Ventricle, Lung, M0 macrophage (VB), M0 macrophage (VB), M1 macrophage (VB), M2 macrophage (VB), M2 macrophage (VB), M2 macrophage (VB), M3 macrophage (VB), M3 macrophage (VB), M4 macrophage (VB), M562, Left Ventricle, Lung, M6 macrophage (VB), M6 macrophage (VB), M6 macrophage (VB), M7 macrophage (VB), M8 (PB), neutrophil (CB), NH-A, NHDF-AD, NHEK, NHLF, Osteobl, Ovary, Pancreas, Placenta, Psoas Muscle, Right Atrium, Small Intestine, Spleen, T cells (PB) Roadmap, Thymus

Model: extratranscriptic, score: 164.955853658537

inactive CD8+ ab T cell (CB), neutrophil myelocyte (BM)

poised B cells (PB) Roadmap, eosinophil (VB), Fetal Thymus, H1ESC, H1-neuronal progenitor, Monocytes-CD14+ (PB) Roadmap, naive B cell (VB), neutrophil (VB)

RegulationSpotter				
19: 11199639-11200189	DNase1	H3K4me3	LDLR	ENST00000557958, ENST00000545707, ENST00000535915, ENST00000455727, ENST00000560502
19: 11199638-11200188	DNase1	H3K4me3	LDLR	ENST00000557933
19: 11199538-11200088	DNase1	H3K4me3	LDLR	ENST00000558518
19: 11199654-11200204	DNase1	H3K4me3	LDLR	ENST00000558013

epigenetic marks

DNase1 DNase1 hypersensitive site in promoter 19:11199106-11201769 (RegulationSpotter) H3K4me3 H3K4me3 in 3 cell lines, overlap with promoter 19:11199071-11204139

histone modifications H2AZ show features in Ensembl explain

H3K27ac NHEK, DND-41, H1ESC, Osteobl, IMR90, NHLF, HUVEC, GM12878, K562, NH-A, HSMM, HSMMtube, HepG2, NHDF-AD, A549, HMEC, HeLa-S3, Monocytes-CD14+ DND-41, HUVEC H3K4me1

Results – Details 19:11200032_112000034delCTC



regul@tion spotting

documentation

hyperlink

Likely effect functional (high confidence) Model: extratranscriptic, score: 164,955853658537

Summary within TFBS

· within active promoter

analysed issue analysis result

name of alteration no title

alteration (phys. location) chr19:11200032_11200034delCTC | IGV

insertion / deletion alteration type

extratranscriptic alteration region

Variant was neither found in ExAC nor 1000G.

known variant

promoters Ensembl Promoter ENSR00000143671

A549, Aorta, CD14+CD16- monocyte (CB), CD14+CD16- monocyte (VB), CD4+ ab T cell (VB), CM CD4+ ab T cell (VB), DND-41, EPC (VB), erythroblast (CB), Fetal Adrenal Gland, Fetal Intestine Large, Fetal Intestine Small, Fetal Muscle Leg, Fetal Muscle Trunk, Fetal Stomach, Gastric, GM12878, H1-mesenchymal, H1-trophoblast, H9, HeLa-S3, HepG2, HMEC, HSMM, HSMMtube, HUVEC, HUVEC prol (CB), IMR90, iPS-20b, iPS DF 19.11, iPS DF 6.9, K562, Left Ventricle, Lung, M0 macrophage (CB), M0 macrophage (VB), M1 macrophage (CB), M1 macrophage (VB), M2 macrophage (VB), M2 macrophage (VB), M3 macrophage (VB), M4 macrophage (VB), M5 macrophage (VB), M6 macrophage (VB), M6 macrophage (VB), M7 macrophage (VB), M8 macroph (PB), neutrophil (CB), NH-A, NHDF-AD, NHEK, NHLF, Osteobl, Ovary, Pancreas, Placenta, Psoas Muscle, Right Atrium, Small Intestine, Spleen, T cells (PB) Roadmap, Thymus

inactive CD8+ ab T cell (CB), neutrophil myelocyte (BM)

poised B cells (PB) Roadmap, eosinophil (VB), Fetal Thymus, H1ESC, H1-neuronal progenitor, Monocytes-CD14+ (PB) Roadmap, naive B cell (VB), neutrophil (VB)

Regul		

19: 11199639-11200189 DNase1 H3K4me3 LDLR ENST00000557958, ENST00000545707, ENST00000535915, ENST00000455727, ENST00000560502 19: 11199638-11200188 DNase1 H3K4me3 LDLR ENST00000557933 19: 11199538-11200088 DNase1 H3K4me3 LDLR ENST00000558518 19: 11199654-11200204 DNase1 H3K4me3 LDLR ENST00000558013

-500/+50 bp around TSS

epigenetic marks (RegulationSpotter) DNase1 DNase1 hypersensitive site in promoter 19:11199106-11201769 H3K4me3 H3K4me3 in 3 cell lines, overlap with promoter 19:11199071-11204139

histone modifications H2AZ

NHEK, DND-41, H1ESC, Osteobl, IMR90, NHLF, HUVEC, GM12878, K562, NH-A, HSMM, HSMMtube, HepG2, NHDF-AD, A549, HMEC, HeLa-S3, Monocytes-CD14+ H3K27ac

H3K4me1 DND-41, HUVEC show features in Ensembl explain

Results – Details 19:11200032_112000034delCTC

Regulation

regul@tion spotting

documentation

hyperlink

Likely effect functional (high confidence)

Model: extratranscriptic, score: 164,955853658537

Summary within TFBS

· within active promoter

analysis result

name of alteration no title

chr19:11200032_11200034delCTC | IGV alteration (phys. location)

insertion / deletion alteration type

extratranscriptic alteration region

known variant Variant was neither found in ExAC nor 1000G.

promoters

analysed issue

Ensembl Promoter ENSR00000143671

A549, Aorta, CD14+CD16- monocyte (CB), CD14+CD16- monocyte (VB), CD4+ ab T cell (VB), CM CD4+ ab T cell (VB), DND-41, EPC (VB), erythroblast (CB), Fetal Adrenal Gland, Fetal Intestine Large, Fetal Intestine Small, Fetal Muscle Leg, Fetal Muscle Trunk, Fetal Stomach, Gastric, GM12878, H1-mesenchymal, H1-trophoblast, H9, HeLa-S3, HepG2, HMEC, HSMM, HSMMtube, HUVEC, HUVEC prol (CB), IMR90, iPS-20b, iPS DF 19.11, iPS DF 6.9, K562, Left Ventricle, Lung, M0 macrophage (CB), M0 macrophage (VB), M1 macrophage (CB), M1 macrophage (VB), M2 macrophage (VB), M2 macrophage (VB), M3 macrophage (VB), M6 macrophage (VB), M6 macrophage (VB), M7 macrophage (VB), M8 macroph (PB), neutrophil (CB), NH-A, NHDF-AD, NHEK, NHLF, Osteobl, Ovary, Pancreas, Placenta, Psoas Muscle, Right Atrium, Small Intestine, Spleen, T cells (PB) Roadmap, Thymus

inactive CD8+ ab T cell (CB), neutrophil myelocyte (BM)

poised B cells (PB) Roadmap, eosinophil (VB), Fetal Thymus, H1ESC, H1-neuronal progenitor, Monocytes-CD14+ (PB) Roadmap, naive B cell (VB), neutrophil (VB)

RegulationSpotter

19: 11199639-11200189 DNase1 H3K4me3 LDLR ENST00000557958, ENST00000545707, ENST00000535915, ENST00000455727, ENST00000560502 19: 11199638-11200188 DNase1 H3K4me3 LDLR ENST00000557933 19: 11199538-11200088 DNase1 H3K4me3 LDLR ENST00000558518 19: 11199654-11200204 DNase1 H3K4me3 LDLR ENST00000558013

found in at least 3 cell lines

epigenetic marks DNase1 DNase1 hypersensitive site in promoter (RegulationSpotter) H3K4me3 H3K4me3 in 3 cell lines, overlap with promoter 19:11199071-11204139

19:11199106-11201769

histone modifications H2AZ

H3K27ac

NHEK, DND-41, H1ESC, Osteobl, IMR90, NHLF, HUVEC, GM12878, K562, NH-A, HSMM, HSMMtube, HepG2, NHDF-AD, A549, HMEC, HeLa-S3, Monocytes-CD14+

H3K4me1 DND-41, HUVEC show features in Ensembl explain

Results - Details 19:11200032_112000034delCTC



Likely effect

regul@tion spotting

functional (high confidence)

H3K4me1

DND-41, HUVEC

documentation

outilitary .	within TFBS within active pro	omoter				пурсты
analysed issue	analysis result					
name of alteration	no title					
alteration (phys. location)	chr19:11200032_1120	0034delCTC <u>IGV</u>				
alteration type	insertion / deletion					
alteration region	extratranscriptic					
known variant	Variant was neither fou	nd in ExAC nor 1000G.				
promoters	Ensembl Promoter E	NSR00000143671				
	Fetal Muscle DF 6.9, K56 (PB), neutro inactive CD8+ ab T c	Leg, Fetal Muscle Trunk, 2, Left Ventricle, Lung, M0 bhil (CB), NH-A, NHDF-AD ell (CB), neutrophil myelod	Fetal Stomach, macrophage (C), NHEK, NHLF, cyte (BM)	Gastric, G CB), M0 ma , Osteobl,	cyte (VB), CD4+ ab T cell (VB), CM CD4+ ab T cell (VB), DND-41, EPC (VB), erythroblast (CB), Fetal Adrenal Gland, 3M12878, H1-mesenchymal, H1-trophoblast, H9, HeLa-S3, HepG2, HMEC, HSMM, HSMMtube, HUVEC, HUVEC propriate (VB), M1 macrophage (CB), M1 macrophage (VB), M2 macrophage (CB), M2 macrophage (VB), Monocyte (Vary, Pancreas, Placenta, Psoas Muscle, Right Atrium, Small Intestine, Spleen, T cells (PB) Roadmap, Thymus H1-neuronal progenitor, Monocytes-CD14+ (PB) Roadmap, naive B cell (VB), neutrophil (VB)	ol (CB), IMR90, iPS-20b, iPS DF 19.11, iPS
	RegulationSpotter					
	19: 11199639-1120018	DNase1	H3K4me3	LDLR	ENST00000557958, ENST00000545707, ENST00000535915, ENST00000455727, ENST00000560502	
	19: 11199638-1120018	DNase1	H3K4me3	LDLR	ENST00000557933	
	19: 11199538-1120008	DNase1	H3K4me3	LDLR	ENST00000558518	
	19: 11199654-1120020	DNase1	H3K4me3	LDLR	ENST00000558013	
enhancers	none found					
epigenetic marks	DNase1 DNase1 hy	persensitive site in promot	er 19:1	1199106-1	11201769	
(RegulationSpotter)	H3K4me3 H3K4me3 i	n 3 cell lines, overlap with	promoter 19:1	1199071-1	11204139	
histone modifications	_	12878 EK, DND-41, H1ESC, Osto	eobl, IMR90, NF	HLF, HUVE	EC, GM12878, K562, NH-A, HSMM, HSMMtube, HepG2, NHDF-AD, A549, HMEC, HeLa-S3, Monocytes-CD14+	show features in Ensembl explain


only meaningful modifications used for scoring

Model: extratranscriptic, score: 164,955853658537

Results – Details 19:11200032_112000034delCTC

polymerase	Polli	H1ESC, HUVEC	C, GM12878, K562, HepG	32, <u>HeLa-S</u> 3	3 show features in Ensembl explain
open chromatin	DNase1	NHEK, H1ESC,	, IMR90, NHLF, GM12878	, K562, NH	H-A, HepG2, HSMM, HSMMtube, NHDF-AD, Monocytes-CD14+, A549, HMEC, HeLa-S3 show features in Ensemble explain
TF binding sites	CTCF	H1ESC	ş	show feature	res in Ensembl explain
	Cmyc	K562			
	E2F4	HeLa-S3			
	Egr1	K562			
	FOXA1	HepG2			
	HEY1	K562			
	Ini1	HeLa-S3			
	Max	HUVEC, K562, I	HeLa-S3		
	SP1	H1ESC			
	TAF1	H1ESC, K562, F	HepG2, HeLa-S3		
	test for effects on		SSUM		
genomic interactions	HiC interactions				
	affected	gene(s)	element	cell	transcripts
				line	
	gene Ens	sembl ID		HMEC	
	LDLR EN	ISG00000130164	promoter	+	protein-coding: ENST00000455727, ENST00000535915, ENST00000545707, ENST00000557933, ENST00000558013, ENST00000558518 retained_intron: ENST00000557958, ENST00000560502
	LDLR ENS	ISG00000130164	overlaps with promoter	+	protein-coding: ENST00000252444
	SMARCA4 ENS		modifier, interacts with promoter	+	protein-coding: ENST00000592158 processed_transcript: ENST00000538456 retained_intron: ENST00000586892
	show interactions	e as plot			
nhyloD / nhactCons					
	-				
	(flanking) 1.259				
	3.039	0.996			
	1.298	1			
	3.039	1			
	(flanking) 3.039	1			
	explain score(s) and/	l/or inspect your po	oosition(s) in in UCSC Gen	nome Brows	Ser Ser
chromosome	19				
strand	1				
chromosomal position (for ins/del: last normal base / first	11200031 / 11200	0035			

Results – Details Interaction



Results - Score

All positions are in basepairs (bp) if not explicitly stated differently.


Abbreviations: aa: amino acid; CDS: coding sequence; mu: mutated; NMD: nonsense-mediated mRNA decay; nt: nucleotide; wt: wildtype; TGP: 1000 Genomes Project

show score composition

Scoring

EnsemblCellBasedFeatures*Histone H2AZ present	3
EnsemblCellBasedFeatures*Histone H3K27ac present	1
EnsemblCellBasedFeatures*Histone H3K4me1 present	0.6
EnsemblCellBasedFeatures*Histone H3K4me2 present	2
EnsemblCellBasedFeatures*Histone H3K79me2 present	2
EnsemblCellBasedFeatures*Histone H3K9ac present	3
EnsemblCellBasedFeatures*Polymerase PolII present	3
EnsemblCellBasedFeatures*Transcription Factor CTCF present	1
EnsemblCellBasedFeatures*Transcription Factor Cmyc present	10
EnsemblCellBasedFeatures*Transcription Factor E2F4 present	20
EnsemblCellBasedFeatures*Transcription Factor Egr1 present	10
EnsemblCellBasedFeatures*Transcription Factor FOXA1 present	5
EnsemblCellBasedFeatures*Transcription Factor HEY1 present	10
EnsemblCellBasedFeatures*Transcription Factor Ini1 present	10
EnsemblCellBasedFeatures*Transcription Factor Max present	5
EnsemblCellBasedFeatures*Transcription Factor SP1 present	10
EnsemblCellBasedFeatures*Transcription Factor TAF1 present	10
EnsemblCellBasedFeatures*Transcription Factor TAF7 present	20
HiC*interaction present	0.2
RS*DNase1 present	10
RS*H3K4me3 present	10
RS*activepromoter present	10
phastcons 1	5
phylop 0.8311707317	707317 5

Results – Details intragenic variant



Results – Details intragenic variant

5 result(s)

1 some transcripts had annotation problems and are not shown

genesymbol pre	rediction	prob	model	problems	splicing	known mutations	AA changes	region	dbSNP	features	link
- fun	nctional	n/a	extratranscriptic					extratranscriptic	538930743		show file
YIPF2 poly	olymorphism	1.06326226900766e-06	without_aae					intron	538930743		show file
YIPF2 poly	olymorphism	1.06326226900766e-06	without_aae					intron	538930743		show file
YIPF2 poly	olymorphism	1.06326226900766e-06	without_aae					intron	538930743		show file

Results – view MutationTaster

Alteration 19:11034925C>T_0_ENST00000586748

Prediction	polymorphism Model: without_aae, prob: 0.999998936737731 (explain)
name of alteration	19:11034925C>T_0_ENST00000586748
alteration (phys. location)	chr19:11034925C>T show variant in all transcripts IGV
HGNC symbol	YIPF2
Exac loss-of-function metrics	LOF: 0.00, misssense: -0.38, synonymous: 0.27
Ensembl transcript ID	ENST00000586748
Genbank transcript ID	none found
UniProt peptide	N/A
alteration type	single base exchange
alteration region	intron
DNA changes	c.368-57G>A g.4433G>A
AA changes	N/A
position(s) of altered AA if AA alteration in CDS	N/A
frameshift	no
length of protein	N/A
known variant	Reference ID: <u>rs538930743</u>
	database homozygous (T/T) heterozygous allele carriers
	<u>1000G</u> 0 1 1
	<u>ExAC</u>
regulatory features	TF binding site, Regulatory Feature, Transcription factor binding site H3K36me3, Histone, Histone 3 Lysine 36 Tri-Methylation Polll, Polymerase, RNA Polymerase II
multicell regulatory features	N/A
external features from FANTOM5 and/or VISTA	N/A
miRNA binding site(s)	no miRNA binding sites annotated
phyloP / phastCons	PhyloP PhastCons
	(flanking) 0.023 0
	-1.176 0
	(flanking) -0.356 0.001
	explain score(s) and/or inspect your position(s) in in UCSC Genome Browser

Thank you!

Contact:

Charité Translational Genomics

https://translationalgenomics.charite.de/

jana-marie.schwarz@charite.de

mutationtaster.org regulationspotter.org











```
my %predictions = (
                                                                 #hash to encode
                        '1' => 'disease causing (ClinVar)',
                        '2' => 'disease causing (automatic)',
                        '3' => 'disease causina'.
                        '4' => 'disease causing - long InDel',
                        '21' -> 'functional (high conf)',
                        '22' => 'functional',
                        '29' => 'non-functional (high conf)',
                        '28' => 'non-functional',
                        '95' => 'polymorphism',
                        '99' => 'polymorphism (automatic)'
                        );
$self->{build}=37;
$self->{schema}->{qe}='regulationspotter.';
$self->{schema}->{ensembl}="ensembl37_84.";
$self->{schema}->{regulation}="ensembl_regulation37_84."; ## ACHTUNG: Hier noch
$self->{schema}->{encode}='encode'. $self->{build}.'.'
$self->{schema}->{build}='build'.$self->{build}.'.';
$self->{links}->{ensembl_URL}='http://grch37.ensembl.org/';
if ($self->{id}) {
    ($self->{project_number}, $self->{accesscode})=split /_/, $self->{id};
}
my %predictions_reverse = ();
foreach my $key (keys %predictions) {
    $predictions_reverse{$predictions{$key}}=$key;
}
my %prediction_problems = (
                    '0' => 'error',
                    '1' => 'wrong input format',
                    '2' => 'DB error',
                    '3' => 'network problem',
                    '4' => 'data problem'.
                    '5' => 'query cannot be processed'.
                    '6' => 'software error',
                    '7' => 'annotation problem'
):
```